


ITBRAINDUMPS



<http://www.itbraindumps.com>

Latest IT Braindumps study guide

Exam : **500-452**

Title : Enterprise Networks Core and
WAN Exam

Vendor : Cisco

Version : DEMO

NO.1 Which route is needed in the global table for internal users to access the Internet?

- A. route to the service provider
- B. route to the internal DNS server
- C. default route
- D. static route to Internet web sites

Answer: C

NO.2 Multiple types of cache can be configured for use with NetFlow. Which cache type is exported on a regular basis and used by ART?

- A. synchronized
- B. normal
- C. permanent
- D. exportable
- E. ART

Answer: A

NO.3 The lean branch office relies on the WAN to provide a majority of its application services. However, essential infrastructure services can be hosted locally. What is one example of an infrastructure service for a hospital or medical office?

- A. YouTube
- B. record archiving system
- C. remote administration
- D. electronic medical records

Answer: D

NO.4 What can be used to replace static ACLs on Internet-facing interfaces?

- A. dynamic ACLs
- B. service provider firewalls
- C. VPNs
- D. zone-based firewalls

Answer: D

NO.5 Which separate service performs SBC for voice on Cisco ISR and ASR routers?

- A. Cisco ISR G2
- B. Cloud Connector
- C. Cisco UCS Manager
- D. Cisco Unified Border Element

Answer: D

NO.6 Which two are components of Cisco PfR? (Choose two.)

- A. master controller
- B. master browser
- C. border router

- D. edge router
- E. area of service

Answer: A,C

NO.7 On what is the Cisco security approach based?

- A. attack lifecycle
- B. first-hop security
- C. the inability of cyber criminals to exploit zero-day vulnerabilities
- D. deployment of traditional security architecture that eliminates cyber threats within a campus or branch

Answer: A

NO.8 What is integrated into Cisco ISR G2 router platforms?

- A. Cisco CWS license
- B. ScanCenter portal
- C. Cisco CWS connector
- D. Cisco CWS tower

Answer: C

NO.9 How do Flexible NetFlow and unified monitoring differentiate between compressed and uncompressed network traffic when Cisco WAAS is introduced into the environment?

- A. no ability
- B. by using segment IDs
- C. by using pass-through
- D. by changing the packet type

Answer: B

Explanation:

Topic5,Intelligent WAN Secure Connectivity

NO.10 What is the preferred method for an IPv6 transition?

- A. tunneling
- B. triple stack
- C. partial overlay
- D. dual stack

Answer: D